

Instalación de Git

Ing. Luis Guillermo Molero Suárez





Para instalar GIT, primero diríjase a su página para descargar el software de instalación, disponible en: <u>https://git-scm.com/downloads</u>

Acerca de Documentación	Descargas	
Descargas Clientes GUI Logotipos	Mac OS 📲 Ventanas	Lanzamiento de la fuente más recien 2.32.0 Notas de la versión (06/06/2021)
Comunidad	👌 Linux / Unix	Descargar 2.32.0 para
El libro completo de Pro Git escrito por Scott Chacon y Ben Straub está disponible para	Las versiones anteriores están disponibles y el repositorio de origen de Git está en GitHub.	
leer en línea de forma gratuita . Las versiones de árboles muertos están disponibles en	Clientes GUI	Logotipos
Amazon.com .	Git viene con herramientas GUI integradas (gfl-gui, gitk), pero hay varias herramientas de terroreros para usuarios que buscan una experiencia especifica de plataforma. Ver clientes GUI →	Varios logotipos de Git en formatos PNG (mapa de bits) y EPS (vector) están disponibles para su uso en proyectos impresos y en línea. Ver logotipos →





Una vez descargada su versión de Git, proceda con su instalación:

1.- Seguidamente, se procede a instalar el software:



2.- Mantenga la ruta de instalación por defecto:

	_		×
wing folder.			
to select a different	folder, click	Browse.	
		B <u>r</u> owse	
equired.			
	wing folder. to select a different	wing folder. to select a different folder, click	wing folder. to select a different folder, click Browse. B <u>r</u> owse



de Pereira



3.- Seleccionamos la opción de "Check daily for GIT for Windows update"

🚸 Git 2.32.0 Setup	_		×
Select Components Which components should be installed?			*
Select the components you want to install; clear the components install. Click Next when you are ready to continue.	nts you do	not want t	to
Additional icons			
On the Desktop			
Windows Explorer integration			
Git Bash Here			
Git GUI Here			
GIT LFS (Large File Support)			
Associate .git* configuration files with the default text edit	or		
Check daily for Cit for Windows undates			
(NEW) Add a Git Bash Profile to Windows Terminal			
Current selection requires at least 267,5 MB of disk space.			
https://gitforwindows.org/			
<u>B</u> ack	<u>N</u> ext	Ca	ncel

4.- Mantenemos la opción por defecto:

🚸 Git 2.32.0 Setup —		×
Select Start Menu Folder Where should Setup place the program's shortcuts?		
Setup will create the program's shortcuts in the following Sta	art Menu folo	der.
To continue, click Next. If you would like to select a different folder, o	lick Browse.	
Git	B <u>r</u> owse.	
Don't create a Start Menu folder		
https://gitforwindows.org/		Cancel





5.- Seleccionamos a Visual Studio Code como editor por defecto:

🚸 Git 2.32.0 Setup	—		\times
Choosing the default editor used by Git Which editor would you like Git to use?		•	*
Visual Studio Code as Git's default editor Visual Studio Code is an Open Source, ingraveight and running as a desktop application. It comes with built-in TypeScript and Node.js and has a rich ecosystem of ext languages (such as C++, C#, Java, Python, PHP, Go) ar .NET and Unity). Use this option to let Git use Visual Studio Code as its d	powerful ed support for tensions for nd runtimes lefault editor	litor JavaScript other (such as r.	
nttps://gittorwindows.org/	<u>N</u> ext	Ca	ncel

6.- Mantenemos la opción por defecto:

🚸 Git 2.32.0 Setup		_	
Adjusting the name of the initial branc What would you like Git to name the init	h in new repositorie ial branch after "git init	: S :"?	*
• Let Git decide			
Let Git use its default branch name in newly created repositories. The a more inclusive name in the near	e (currently: "master") Git project <u>intends</u> to o future.	for the init change this	tial branch s default to
Override the default branch name	ne for new reposito	ries	
NEW! Many teams already rename "main", "trunk" and "development" initial branch:	d their default branche . Specify the name "git	es; commo t init" shou	n choices ar Id use for th
main			
This setting does not affect existing rep	ositories.		
https://gitforwindows.org/			
	<u>B</u> ack	<u>N</u> ext	Cancel





MinTIC

7.- Seleccionamos la opción tres:

🚸 Git 2.32.0 Setup	_		×	
Adjusting your PATH environment How would you like to use Git from the command line?				
🔿 Use Git from Git Bash only				
This is the most cautious choice as your PATH will not be only be able to use the Git command line tools from Git E	e modified Bash.	at all. You	w	
◯ Git from the command line and also from 3rd-party	software	•		
(Recommended) This option adds only some minimal Git PATH to avoid cluttering your environment with optional You will be able to use Git from Git Bash, the Command PowerShell as well as any third-party software looking for	wrappers Unix tools. Prompt an or Git in PA	to your d the Wind TH.	lov	
Use Git and optional Unix tools from the Command P	rompt			
Both Git and the optional Unix tools will be added to your PATH. Warning: This will override Windows tools like "find" and "sort". Only use this option if you understand the implications.				
<u>B</u> ack	<u>N</u> ext	Ca	ncel	

8.- Mantenemos la opción por defecto

🚯 Git 2.32.0 Setup	_		
Choosing HTTPS transport backend Which SSL/TLS library would you like Git to use for HTTPS con	nections?		
Use the OpenSSL library			
Server certificates will be validated using the ca-bundle.	rt file.		
🔘 Use the native Windows Secure Channel library			
Server certificates will be validated using Windows Certif This option also allows you to use your company's intern distributed e.g. via Active Directory Domain Services.	ficate Store al Root CA	s. certificates	
https://gitforwindows.org/	<u>N</u> ext	Cancel	





9.- Mantenemos la opción por defecto

🚸 Git 2.32.0 Setup		_		×
Configuring the line ending conversions How should Git treat line endings in text files?				3
Checkout Windows-style, commit Unix	style line en	dings		
Git will convert LF to CRLF when checking text files, CRLF will be converted to LF. Fo this is the recommended setting on Windo	out text files. V r cross-platfor ws ("core.auto	When commi m projects, pcrlf" is set to	itting o "true").	
O Checkout as-is, commit Unix-style line	endings			
Git will not perform any conversion when checking out text files. When committing text files, CRLF will be converted to LF. For cross-platform projects, this is the recommended setting on Unix ("core.autocrlf" is set to "input").				
◯ Checkout as-is, commit as-is				
Git will not perform any conversions when text files. Choosing this option is not recor projects ("core.autocrlf" is set to "false").	checking out on the checking out of the checking of the checki	or committing ross-platforr	g n	
nitiport/green windoworkergy	<u>B</u> ack	<u>N</u> ext	Cance	9

10.- Mantenemos la opción por defecto

🚸 Git 2.32.0 Setup	_		(
Configuring the terminal emulator to use with Git Bash Which terminal emulator do you want to use with your Git Bas	h?	*	
Use MinTTY (the default terminal of MSYS2)			
Git Bash will use MinTTY as terminal emulator, which sp non-rectangular selections and a Unicode font. Windows as interactive Python) must be launched via `winpty` to	orts a resiz console pr work in Mir	able window ograms (suc nTTY.	
◯ Use Windows' default console window			
Git will use the default console window of Windows ("cm with Win32 console programs such as interactive Python very limited default scroll-back, needs to be configured t order to display non-ASCII characters correctly, and prio window was not freely resizable and it only allowed rect	nd.exe"), wi or node.js o use a Uni or to Windo angular tex	hich works v , but has a code font in ws 10 its t selections.	
https://gitforwindows.org/	<u>N</u> ext	Cancel	





11.- Mantenemos la opción por defecto

🚸 Git 2.32.0 Setup	_		×
Choose the default behavior of `git pull` What should `git pull` do by default?			
Default (fast-forward or merge)			
This is the standard behavior of `git pull`: fast-forward the the fetched branch when possible, otherwise create a mer	e current ge comm	t branch t nit.	0
Rebase			
Rebase the current branch onto the fetched branch. If the commits to rebase, this is equivalent to a fast-forward.	e are no	local	
○ Only ever fast-forward			
Fast-forward to the fetched branch. Fail if that is not possi	ble.		
https://gitforwindows.org/			
<u>B</u> ack	<u>V</u> ext	Ca	ancel

12.- Mantenemos la opción por defecto

🚸 Git 2.32.0 Setup	_		×
Choose a credential helper Which credential helper should be configured?		1	•
Git Credential Manager Core			
(NEW!) Use the new, <u>cross-platform version of the Git Cr</u> See more information about the future of Git Credential I	<mark>edential M</mark> Manager <u>h</u>	<u>anager</u> . <u>ere</u> .	
🔿 Git Credential Manager			
(DEPRECATED) The <u>Git Credential Manager for Windows</u> for Azure DevOps and GitHub (requires .NET framework)	handles c v4.5.1 or la	redentials e. _! ater).	
○ None			
Do not use a credential helper.			
https://aitforwindows.org/			
<u>B</u> ack	<u>N</u> ext	Cance	I





13.- Mantenemos la opción por defecto

🚸 Git 2.32.0 Setup		_		\times
Configuring extra options Which features would you like to enable?				
Enable file system caching File system data will be read in bulk operations ("core.fscache" is set to " performance boost. Enable symbolic links Enable symbolic links (requires the S Please note that existing repositories https://differentiatedows.org/	and cached in memo true"). This provides GeCreateSymbolicLink are unaffected by th	ory for cert a significa permissio is setting.	ain Int In).	
napon, grao, windowolorg/	<u>B</u> ack	<u>N</u> ext	С	ancel

14.- Mantenemos la opción por defecto y presionar Install

🚸 Git 2.32.0 Setup	_		×		
Configuring experimental options These features are developed actively. Would you like to try the	hem?		>		
Enable experimental support for pseudo consoles.					
(NEW!) This allows running native console programs like Node or Python in a Git Bash window without using winpty, but it still has known bugs.					
Enable experimental built-in file system monitor					
(NEW!) Automatically run a <u>built-in file system watcher</u> , to speed up common operations such as `git status`, `git add`, `git commit`, etc in worktrees containing many files.					
https://gitforwindows.org/	<u>I</u> nstall	Can	cel		

